

SEQUENCE LISTING

Huberman, Monika

<120> NUCLEIC ACID CONSTRUCT SYSTEM AND METHOD UTILIZING SAME USEFUL FOR IDENTIFYING PROTEIN-PROTEIN INTERACTIONS

<130> 31/21605

<150> 60/220, 153

<151> 2000-07-24

<16C> 7

<170> PatentIn version 3.0

$\langle 210 \rangle$ 1

<211> 561

<212> DNA

<213> Rattus rattus

[illegible][illegible]

```
<210> 2
<211> 721
<212> DNA
<213> Rattus rattus
```

<400>	2	atgccgcgcgc gggagctcag cgaggccgag ccacccgcctc tcccgccctc gaccctctct	60
		ccgcggcgcgc gcagcgcgcc tccggagctg ggcattcaaat gcgtgctggt gggcgacgtc	120
		gcgcgtcggca agagcagcct catcgtagc tacacctgca atggatccc ctccgctat	180
		cgccctacag cactggacac ttctccgtg caagtccgtg tagatggagc cccgtgcca	240
		attgagctct gggacacagc agggcaggag gactttgccc ggcttcgttc tctctgctac	300
		ccggatcccg atgtctctct ggcttgcttc agcgtggtgc agccagctc ctttcaaaac	360
		ataacagaaa aatggctgccc ggagatccgc actcaaac ccacagcacc tgtgtgtgtg	420
		gtgggcactc aggcgcacct gagggaagat gtcaatgtac taattcagtt ggaccacgga	480
		ggtcgggagg gccacgtacc cgaaccccas gccacgggtt tggctgagaa gatccgggccc	540
		tgtctgtacc ttgagtgctc agccttgacg cagaagaact tgaaggaggt gtctgactcg	600
		gcattctctc gtgcgattga gcacaaagcc cgctggaga agaaactgaa cgcaaaaggt	660
		gtgcgcacgc tctctcgctg tctgtggaag aagttctctt gctttgcttg a	711

<210>	3
<211>	24
<212>	DNA
<213>	Artificial

```
<220>
<223> synthetic oligonucleotide
<400> 3
cggatctcaaa atgcgtgcgc gtcg
```

```
<210> 4
<211> 20
<212> DNA
<213> Artificial
```

<220>

<223> synthetic oligonucleotide

<400> 4
ccaagctatt taggtgacac

20

<210> 5

<211> 33

<212> DNA

<213> Unknown

<220>

<223> myc epitope tag

<400> 5
atggtgcaga agctgatctc cgaggaggac ctg

33

<210> 6

<211> 86

<212> DNA

<213> Unknown

<220>

<223> v-Src myristoylation sequence

<400> 6
atggggagta gcaagagcaa gcttaaggac ccagagcaga gccggcccga agatccacta
gtaacggccg ccagtgtgct ggaatt

60

86

<210> 7

<211> 63

<212> DNA

<213> Unknown

<220>

<223> CAAX box consensus sequence

<400> 7
aagctgaacc ctctgatga gagtggccac ggctgcatga gctgcaagtg tgtgctctcc
tga

60

63

000000 000000 000000